



Powering Innovation,
Ensuring **Safety**

ANNEKAL



www.annekalindia.com

ABOUT US



"YOUR WORLD, SECURED BY ANNEKAL."

At ANNEKAL, We Empower Safety with Cutting-Edge CCTV Solutions Tailored for Homes, Businesses and Industries. Our Commitment of Quality, Innovation, and Reliability Ensures 24/7 Protection. You can Trust—because Your Peace of Mind is Our Priority.

COLORMAXX Series

LITE Series

PRO Series

ULTRA Series

VFCL Series

TALKPRO Series

PTZ Series

NVR Series

POWER Supply

POE Switch

Our Range

COLORMAXX Series



2.4MP COLORMAXXD-CVI

3.6MM LENS



- ◆ *High Quality Resolution With 2.4MP (1920*1080)*
- ◆ *24/7 Color Imaging With F1.0 Aperture*
- ◆ *3.6 MM Fixed Focal Lens*
- ◆ *Up to 20M White Light Distance for Bright Night*
- ◆ *H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ◆ *Support ICR auto Switch, achieve best result for Day & Night Video*
- ◆ *Support 3D/2D DNR and Digital WDR*
- ◆ *Water and Dust Resistant (Ip67)*
- ◆ *Built in Mic*

Our Product



COLORMAXX Series

2.4MP COLORMAXXB-CVI

3.6MM LENS

- ◆ *High Quality Resolution With 2.4MP (1920*1080)*
- ◆ *24/7 Color Imaging With F1.0 Aperture*
- ◆ *3.6 MM Fixed Focal Lens*
- ◆ *Up to 20M White Light Distance for Bright Night*
- ◆ *H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ◆ *Support ICR auto Switch, achieve best result for Day & Night Video*
- ◆ *Support 3D/2D DNR and Digital WDR*
- ◆ *Water and Dust Resistant (Ip67)*
- ◆ *Built in Mic*



COLORMAXX Series



2.0MPCOLORMAXXD-TVI

3.6MM LENS

- ✦ *High Quality Resolution With 2.4MP (1920*1080)*
- ✦ *24/7 Color Imaging With F1.0 Aperture*
- ✦ *3.6 MM Fixed Focal Lens*
- ✦ *Up to 20M White Light Distance for Bright Night*
- ✦ *H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ✦ *Support ICR auto Switch, achieve best result for Day & Night Video*
- ✦ *Support 3D/2D DNR and Digital WDR*
- ✦ *Water and Dust Resistant (Ip67)*
- ✦ *Built in Mic*

Our Product





COLORMAXX Series

2.0MPCOLORMAXXB-TVI

3.6MM LENS

- ◆ *High Quality Resolution With 2.4MP (1920*1080)*
- ◆ *24/7 Color Imaging With F1.0 Aperture*
- ◆ *3.6 MM Fixed Focal Lens*
- ◆ *Up to 20M White Light Distance for Bright Night*
- ◆ *H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ◆ *Support ICR auto Switch, achieve best result for Day & Night Video*
- ◆ *Support 3D/2D DNR and Digital WDR*
- ◆ *Water and Dust Resistant (Ip67)*
- ◆ *Built in Mic*



LITE Series

5MP LITE OM-IP CAM

4MM LENS



- ◆ Resolution 5MP (2592*1904@20fps), 4MP (2560*1440@20fps), 3MP (2048*1536@20fps), 2MP(1920*1080@25fps, 720P (1920*720)25fps
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ Detection Frame 5fps, detect 5 people at the same time.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support ICR auto switch, achieve best result for Day & Night Video.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.

Our Product

LITE Series

5MP LITE BULLET-IP CAM

4MM LENS

- ✦ Resolution 5MP (2592*1904@20fps), 4MP (2560*1440@20fps), 3MP (2048*1536@20fps), 2MP(1920*1080@25fps, 720P (1920*720)25fps
- ✦ Built-in Humanoid Detection Algorithm.
- ✦ Detection Frame 5fps, detect 5 people at the same time.
- ✦ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ✦ Support Smart IR to avoid Infrared Over-Exposure at night.
- ✦ Support ICR auto switch, achieve best result for Day & Night Video.
- ✦ Support PoE, 3D DNR & Digital WDR.
- ✦ Built in Mic & Water & Dust Resistant (Ip67).
- ✦ Support Onvif, Email, NTP Service.



PRO Series

5MP PRO DOM-IP CAM

4MM LENS



- ◆ Resolution 5MP (2592*1904@20fps), 4MP (2560*1440@20fps), 3MP (2048*1536@20fps), 2MP(1920*1080@25fps, 720P (1920*720)25fps
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ Detection Frame 5fps, detect 5 people at the same time.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support ICR auto switch, achieve best result for Day & Night Video.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.

Our Product

PRO Series

5MP PRO BULLET-IP CAM

4MM LENS

- ◆ Resolution 5MP (2592*1904@20fps), 4MP (2560*1440@20fps), 3MP (2048*1536@20fps), 2MP(1920*1080@25fps, 720P (1920*720)25fps
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ Detection Frame 5fps, detect 5 people at the same time.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support ICR auto switch, achieve best result for Day & Night Video.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.



PRO Series

6MP PRODOM-IP CAM

4MM LENS



- ◆ Resolution 6MP (3072*2048@20fps), 5MP (2592*1904 @20fps), 4MP (2560*1440@25fps), 3MP (2048*1536@25fps), 2MP (1920*1080@25fps).
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ H.265 Compression Format, save Bandwidth and Storage Space & 24*7 Color View. .
- ◆ Support Smart IR to avoid Infrared Over-Exposure at Night.
- ◆ Support ICR auto Switch, achieve best result for Day & Night Video.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.

Our Product

PRO Series

6MP PRO BULLET-IP CAM

4MM LENS

- ◆ Resolution 6MP (3072*2048@20fps), 5MP (2592*1904 @20fps), 4MP (2560*1440@25fps), 3MP (2048*1536@25fps), 2MP (1920*1080@25fps).
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ H.265 Compression Format, save Bandwidth and Storage Space & 24*7 Color View. .
- ◆ Support Smart IR to avoid Infrared Over-Exposure at Night.
- ◆ Support ICR auto Switch, achieve best result for Day & Night Video.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.



PRO Series

8MP PRODOM-IP CAM

4MM LENS



- ✦ *Max Support 8MP 3840*2160@25fps.*
- ✦ *Support Area Intrusion, Line-Crossing Detection, Loitering, Absent Alarm, Vehicle Illegal Parking, Vehicle Retrograde.*
- ✦ *Detection Frame 5fps, detect 5-10 People at the same time.*
- ✦ *S.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ✦ *Support ICR auto switch, achieve best result for Day & Night Video.*
- ✦ *Support Alarm Recording Linkage.*
- ✦ *Built in Mic & Water & Dust Resistant (Ip67).*
- ✦ *Support Onvif, Email, NTP Service.*

Our Product



S.265

PRO Series

8MP PRO BULLET-IP CAM

4MM LENS

- ◆ *Max Support 8MP 3840*2160@25fps.*
- ◆ *Support Area Intrusion, Line-Crossing Detection, Loitering, Absent Alarm, Vehicle Illegal Parking, Vehicle Retrograde.*
- ◆ *Detection Frame 5fps, detect 5-10 People at the same time.*
- ◆ *S.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ◆ *Support ICR auto switch, achieve best result for Day & Night Video.*
- ◆ *Support Alarm Recording Linkage.*
- ◆ *Built in Mic & Water & Dust Resistant (Ip67).*
- ◆ *Support Onvif, Email, NTP Service.*



S.265

ULTRA Series

5MP ULTRABULLET-IP CAM 6MM LENS



- ◆ Resolution 5MP (2592*1904@20fps), 4MP (2560*1440 @20fps), 3MP (2048*1536@20fps), 2MP(1920*1080@25fps, 720P (1920*720)25fps, Support NTSC 2MP@30fps.
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support PoE.
- ◆ Support Auto-Electronic shutter to suit different Surveillance Environment.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.



Our Product

ULTRA Series

5MP ULTRA BULLET-IP CAM 8MM LENS

- ◆ Resolution 5MP (2592*1904@20fps), 4MP (2560*1440 @20fps), 3MP (2048*1536@20fps), 2MP(1920*1080@25fps, 720P (1920*720)25fps, Support NTSC 2MP@30fps.
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support PoE.
- ◆ Support Auto-Electronic shutter to suit different Surveillance Environment.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.



ULTRA Series

6MP ULTRABULLET-IP CAM 6MM LENS



- ◆ Resolution 6MP (3072*2048@20fps), 5MP (2592*1904@20fps), 4MP (2560*1440@25fps), 3MP (2048*1536@25fps), 2MP (1920*1080@25fps).
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support PoE.
- ◆ Support Auto-Electronic shutter to suit different Surveillance Environment.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.

ULTRA Series

6MP ULTRABULLET-IP CAM

8MM LENS

- ◆ Resolution 6MP (3072*2048@20fps), 5MP (2592*1904@20fps), 4MP (2560*1440@25fps), 3MP (2048*1536@25fps), 2MP (1920*1080@25fps).
- ◆ Built-in Humanoid Detection Algorithm.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support PoE.
- ◆ Support Auto-Electronic shutter to suit different Surveillance Environment.
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ Built in Mic & Water & Dust Resistant (Ip67).
- ◆ Support Onvif, Email, NTP Service.



ULTRA Series

8MP ULTRABULLET-IP CAM 6MM LENS



- ◆ *Max Support 8MP 3840*2160@25fps.*
- ◆ *Support Sub-Stream Resolution D1(720*576)\VGA(640*480)\Q720P(640*360)\864*480.*
- ◆ *Built-in Humanoid Detection Algorithm.*
- ◆ *H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ◆ *Support Smart IR to avoid Infrared Over-Exposure at night.*
- ◆ *Support PoE.*
- ◆ *Support Auto-Electronic shuttle to suit different Surveillance Environment.*
- ◆ *Support PoE, 3D DNR & Digital WDR.*
- ◆ *Built in Mic & Water & Dust Resistant (Ip67).*
- ◆ *Support Onvif, Email, NTP Service.*

Our Product

ULTRA Series

8MP ULTRA BULLET-IP CAM 8MM LENS

- ◆ *Max Support 8MP 3840*2160@25fps.*
- ◆ *Support Sub-Stream Resolution D1(720*576)\VGA(640*480)\Q720P(640*360)\864*480.*
- ◆ *Built-in Humanoid Detection Algorithm.*
- ◆ *H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ◆ *Support Smart IR to avoid Infrared Over-Exposure at night.*
- ◆ *Support PoE.*
- ◆ *Support Auto-Electronic shuttle to suit different Surveillance Environment.*
- ◆ *Support PoE, 3D DNR & Digital WDR.*
- ◆ *Built in Mic & Water & Dust Resistant (Ip67).*
- ◆ *Support Onvif, Email, NTP Service.*



TALK PRO Series

4MPDOM-IP CAM

4MM LENS

Two-Way
Audio Talk



Two-Way
Audio Talk

- ◆ Maximum Resolution 2560 × 1440.
- ◆ 1/3" Progressive Scan CMOS Sensor.
- ◆ H.265 Compression Format, save Bandwidth, Storage Space & 24 *7 Color View.
- ◆ 4MM Fixed Lens.
- ◆ Support PoE.
- ◆ Premium Two-Way Audio Talk
- ◆ Support Auto-Electronic Shuttle to Suit Different Surveillance Environment.
- ◆ Support Up to 256GB SD Card.
- ◆ Water and Dust Resistant (Ip67).



IR View



Full Color



Motion
Detection

Our Product

TALK PRO Series

4MP BULLET-IP CAM 4MM LENS

- ◆ *Maximum Resolution 2560 × 1440.*
- ◆ *1/3" Progressive Scan CMOS Sensor.*
- ◆ *H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.*
- ◆ *4MM Fixed Lens.*
- ◆ *Support PoE.*
- ◆ *Premium Two-Way Audio Talk*
- ◆ *Support Auto-Electronic Shuttle to Suit Different Surveillance Environment.*
- ◆ *Support Up to 256GB SD Card.*
- ◆ *Water and Dust Resistant (Ip67).*



IR View



Full Color



Motion
Detection



VERIFOCAL Series

5MP VFCL2 BULLET-IP CAM

with Adjustable

(2.8–13.5)mm Motorized Zooming Lens.



- ◆ Resolution 5MP (2592*1904@20fps), 4MP (2560*1440@25fps), 3MP (2048*1536@25fps), 2MP (1920*1080@25fps).
- ◆ Built-in Humanoid Detection Algorithm
- ◆ H.265 / Smart H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Smart IR Range for Night Vision, up to 20M
- ◆ Day/Night ICR auto switch
- ◆ Built-in Mic
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ HTTPS Encryption, Onvif Support
- ◆ Water & Dust Resistant (Ip67)

Our Product

VERIFOCAL Series

8MPVFCL2BULLET-IP CAM

with Adjustable

(2.8–13.5)mm Motorized Zooming Lens.

- ◆ 8MP (3840×2160@25fps) Ultra HD resolution
- ◆ Built-in Humanoid Detection Algorithm
- ◆ H.265 / Smart H.265 Compression Format, save Bandwidth, Storage Space & 24*7 Color View.
- ◆ Smart IR for Night Vision, up to 50m Range
- ◆ Day/Night ICR auto switch
- ◆ Built-in Mic
- ◆ Support PoE, 3D DNR & Digital WDR.
- ◆ HTTPS Encryption, Onvif Support
- ◆ Water & Dust Resistant (Ip67)



- ◆ Resolution 4MP (2560*1440@20fps), 3MP (2048*1536@20fps), 2MP (1920*1080@25fps).
- ◆ Built-in Humanoid & Motion Detection Algorithm.
- ◆ Low Consumption, Low Code Stream, Low Delay.
- ◆ H.265 Compression Format, save Bandwidth and Storage Space & 24*7 Color View.
- ◆ Support Smart IR to avoid Infrared Over-Exposure at night.
- ◆ Support ICR auto switch, achieve best result for Day & Night Video.
- ◆ Support PoE.
- ◆ Support Onvif, Email, NTP Service.
- ◆ Full 360° Rotation.
- ◆ Change the password during initial use to ensure the Security of the password.
- ◆ Water Resistant Outdoor Petroling Camera (Ip67).

PTZ Series

PTZ-IP CAM 4MM LENS



NVR Series

NVR 10&16 CHANNEL

- ◆ Media Format H.265/
H.264+/H.264
- ◆ For IP Network Cameras
- ◆ Third Party Supported
- ◆ 1*6TB HDD Capacity



NVR 36 CHANNEL

- ◆ Media Format H.265/
H.264+/H.264
- ◆ For IP Network Cameras
- ◆ Third Party Supported
- ◆ 2*10TB HDD Capacity

POWER SUPPLY



4 CHANNEL

◆ *Input: AC 150-285V,
50-60Hz*

◆ *Output Current: ≈ 5A*



8 CHANNEL

◆ *Input: AC 150-285V, 50-60Hz*

◆ *Output Current: ≈ 10A*



16 CHANNEL

◆ *Input: AC 150-285V,
50-63Hz*

◆ *Output Current: ≈ 20A*

POE SWITCH 4 CH

*AN-4FE-2FE
(10/100)*



*AN-4GE-2GE
(10/100/1000)*



POE SWITCH 8CH

**AN-8FE-2FE
(10/100)**



**AN-8FE-2GE
(10/100)
UP Link (10/100/1000)**



**AN-8GE-2GE-1SFP
(10/100/1000)**



**AN-8GE-2GE-2SFP
(10/100/1000)**



POE SWITCH 16&24 CH

**AN-16GE-2GE
(10/100/1000)**



**AN-16FE-2GE-1SFP
(10/100)
UP Link (10/100/1000)**



**AN-24GE-2GE-2SFP
(10/100/1000)**



"YOUR TRUST – OUR COMMITMENT"



Registered Office :

ONLINE CREATORS

Office No.6, 1st Floor, Opp-Om Plaza, Ballabgarh, Faridabad, Haryana-121004

Customer Care : +91 9996473090

Email : care.annikal@gmail.com

Site : www.annikalindia.com

Corporate Office:

5th Floor, 504A, Govardhan Building, 53-54, Nehru Place, New Delhi-110019

Contact Us : +91 8586918074, +91 9560368010

Email : cctv.techlinkdelhi@gmail.com, ho.techlinkdelhi@gmail.com

www.annikalindia.com